

系級	資訊科學系碩士班B組	考試時間	100 分鐘
科目	統計學	本科總分	100 分

1. (5%) Let a and b be constant and let random variable X and Y have the relationship $Y=aX+b$. What are the relationships between $E(X)$ and $E(Y)$ and between $Var(X)$ and $Var(Y)$?

2. (16%) Suppose that 10 percent of the screws produced by a machine are defective. Let X be the number of defective screws from a sample of 100.

- (a) How is X distributed?
- (b) Give the value of $E(X)$ and $Var(X)$.
- (c) Find $P(X=0)$.
- (d) Find $P(X>1)$.

3. (15%) Suppose that a random variable X has the following population distribution:

x	$P(x)$
2	0.5
4	0.25
8	0.25

If a sample of two numbers is taken with replacement, derive the sampling distribution of the sample mean (\bar{X}) and compute the value of $E(\bar{X})$ and $Var(\bar{X})$.

4. (12%) A random sample of 70 observations from a normally distributed population possesses a mean equal to 26.2 and a standard deviation equal to 4.1.

- (a) Find a 95% confidence interval for μ .
- (b) What do you mean when you say that the confidence level is 0.95?
- (c) What happens to the width of a confidence interval as the value of confidence level is increase while the sample size is held fixed?

5. (10%) Experience over a long period of time has shown that, on the average, a mother stayed 2.0 days in the Findlay Children's Hospital after childbirth. The standard deviation was 0.5 day. Hospital administrators, doctors, and other groups decided to make a joint effort to reduce the average time a new mother spends in the hospital. Following their campaign, a sample of the files of 100 mothers revealed that the new mean length of stay was 1.8 days. Are mothers staying in the hospital less time, or could the difference between 2.0 and 1.8 be due to sampling error? Use the 0.05 significance level.

背面尚有試題

系級	資訊科學系碩士班B組	考試時間	100 分鐘
科目	統計學	本科總分	100 分

6. (10%) The editor of a newspaper, the *Weekly Daily*, has written that 25 percent of the college students in the paper's circulation area read newspapers daily. A random sample of 200 of these college students shows that 45 of them are daily readers of newspapers. At the 0.05 level, is the editor's statement likely to be true?
7. (16%) A physician randomly selects 18 patients among those she is treating for high blood pressure. These patients are randomly assigned to 3 groups and treated with 3 different drugs, all designed to reduce blood pressure. The amount of reduction (in millimeters of mercury) is shown.

Drug A	Drug B	Drug C
10	13	9
10	14	8
9	11	6
10	10	10
7	9	10
6	10	7

At the 0.05 level of significance, is there sufficient evidence to show that the drugs act differently?

- (a) State the null and alternate hypotheses.
- (b) Fill up the following ANOVA table items with correct values.

組	個數	總和	平均	變異數
Drug A	6	52	8.666667	3.066667
Drug B	6	67	11.16667	3.766667
Drug C	6	50	8.333333	2.666667

ANOVA				
變源	SS	自由度	MS	F
組間	28.77778	?	?	?
組內	47.5	?	?	
總和	76.27778			

- (c) What is your decision rule?
- (d) What is your conclusion?

系級	資訊科學系碩士班B組	考試時間	100 分鐘
科目	統計學	本科總分	100 分

8. (16%) Before hiring new employees, the personnel director for Worldwide Things, Inc., decides to do a regression analysis of the company's current salary structure. She believes that an employee's salary is related to the number of years of work experience (YEARS) and to the number of years of post-high school education (POSTHSED). The following computer output is produced from the sample data she has gathered:

Predictor	Coef	Stdev	T	p
Constant	29436.2	581.3	50.64	0.000
POSTHSED	1306.1	255.3	5.12	0.000
YEARS	832.63	44.49	18.71	0.000

Analysis of Variance

Source	DF	SS	MS	F	p
Regression	2	14792118272	7396059136	738.79	0.000
Error	191	1912102400	10011007		
Total	193	16704221184			

Referring to the above computer output, answer the following question.

- What is the regression equation?
- Predict a salary for one with 6 years of work experience and with 4 years of post-high school education.
- What is the value of the standard error of estimate?
- Conduct the global test of hypothesis. Can we conclude that any of the regression coefficients are not equal to zero? Use the 0.05 significance level.

背面尚有試題


系級	資訊科學系碩士班B組	考試時間	100 分鐘
科目	統計學	本科總分	100 分

The F Distribution at a 5 Percent Level of Significance

	Degrees of Freedom for the Numerator															
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40
1	161	200	216	225	230	234	237	239	241	242	244	246	248	249	250	251
2	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4	19.4	19.5	19.5	19.5
3	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39

Areas Under the Normal Curve

Example:
If $z = 1.96$, then
.4750 of the area is
between 0 and 1.96



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990